



SAFETY DATA SHEET

Hi Build Primer

1. Product and Company Identification

Product Code: AH-BG
Product Name: Hi Build Primer
Company Name: Crest Industries, Inc.
1337 King Road
Trenton, MI 48183
Phone Number: (734)479-4141
Web site address: crestauto.com
Emergency Contact: Chemtel (800)255-3924
International Calls (813)248-0585
Stock Number(s): AH-BG

2. Hazards Identification

Flammable Aerosols, Category 1
Skin Corrosion/Irritation, Category 2
Serious Eye Damage/Eye Irritation, Category 2
Germ Cell Mutagenicity, Category 1B
Carcinogenicity, Category 1A
Toxic To Reproduction, Category 2
Specific Target Organ Toxicity (single exposure), Category 2
Specific Target Organ Toxicity (repeated exposure), Category 2
Aspiration Toxicity, Category 1
Gas Under Pressure, Compressed gas



GHS Signal Word: **Danger**

GHS Hazard Phrases: H222 - Extremely flammable aerosol.
H280 - Containers gas under pressure; may explode if heated.
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H350 - May cause cancer .
H361 - Suspected of damaging fertility or the unborn child .
H371 - May cause damage to organs .
H373 - May cause damage to through prolonged or repeated exposure.
H336 - May cause drowsiness or dizziness.

GHS Precautionary Phrases: P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P211 - Do not spray on an open flame or any other ignition source.
P251 - Pressurized container: Do not pierce or burn, even after use.
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P321 - Specific treatment (see ... on this label).
P331 - Do NOT induce vomiting.
P302+352 - IF ON SKIN: Wash with plenty of soap and water.
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove



SAFETY DATA SHEET

Hi Build Primer

contact lenses, if present and easy to do. Continue rinsing.
P308+313 - IF exposed or concerned: Get medical attention/advice.
P314 - Get medical attention/advice if you feel unwell.
P332+313 - If skin irritation occurs, get medical advice/attention.
P337+313 - If eye irritation persists, get medical advice/attention.
P362 - Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal Phrases:

P405 - Store locked up.
P410+403 - Protect from sunlight and store in well-ventilated place.
P412 - Do not expose to temperatures exceeding 50 °C/122 °F.
P501 - Dispose of contents/container to an approved treatment/storage/disposal facility in accordance with local/regional/national and international regulations.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
68476-86-8	Liquified petroleum gas, sweetened	13.00 - 30.00 %
67-64-1	Acetone	13.00 - 30.00 %
108-88-3	Toluene	13.00 - 30.00 %
14808-60-7	Quartz	13.00 - 30.00 %
110-19-0	Iso-Butyl acetate	7.000 - 10.00 %
123-86-4	Butyl acetate	1.500 - 5.000 %
78-93-3	Methyl ethyl ketone	1.500 - 5.000 %

4. First Aid Measures

Emergency and First Aid Procedures:

5. Fire Fighting Measures

Flash Pt: > -104 C (-155 F) Method Used: Estimate

Explosive Limits: LEL: UEL:

Autoignition Pt:

Suitable Extinguishing Media:

Fire Fighting Instructions:

Flammable Properties and

Hazards:

Hazardous Combustion

Products:

6. Accidental Release Measures

Steps To Be Taken In Case

Material Is Released Or

Spilled:

7. Handling and Storage

Precautions To Be Taken in

Handling:



Octanol/Water Partition Coefficient:
Autoignition Pt:
Decomposition Temperature:
Viscosity:

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability:

Incompatibility - Materials To Avoid:

Hazardous Decomposition or Byproducts:

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions:

11. Toxicological Information

Toxicological Information:

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
68476-86-8	Liquified petroleum gas, sweetened	n.a.	n.a.	n.a.	n.a.
67-64-1	Acetone	n.a.	n.a.	A4	n.a.
108-88-3	Toluene	n.a.	3	A4	n.a.
14808-60-7	Quartz	Known	1	A2	n.a.
110-19-0	Iso-Butyl acetate	n.a.	n.a.	n.a.	n.a.
123-86-4	Butyl acetate	n.a.	n.a.	n.a.	n.a.
78-93-3	Methyl ethyl ketone	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

13. Disposal Considerations

Waste Disposal Method:

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name:

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name:

UN Number:

Hazard Class:

TDG Classification:



SAFETY DATA SHEET

Hi Build Primer

MARINE TRANSPORT (IMDG/IMO):**IMDG/IMO Shipping Name:**

UN Number: 1950

Hazard Class: 2.1 - FLAMMABLE GAS

Packing Group:**IMDG MFAG Number:****IMDG EMS Page:****AIR TRANSPORT (ICAO/IATA):****ICAO/IATA Shipping Name:**

UN Number: 1950

Hazard Class: 2.1 - FLAMMABLE GAS

15. Regulatory Information
EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
68476-86-8	Liquified petroleum gas, sweetened	No	No	No
67-64-1	Acetone	No	Yes NA	No
108-88-3	Toluene	No	Yes NA	Yes
14808-60-7	Quartz	No	No	No
110-19-0	Iso-Butyl acetate	No	Yes NA	No
123-86-4	Butyl acetate	No	Yes NA	No
78-93-3	Methyl ethyl ketone	No	Yes NA	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Explosive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Acute toxicity (any route of exposure)
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Flammable (gases, aerosols, liquid, or solid)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Skin Corrosion or Irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Serious eye damage or eye irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-reactive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Respiratory or Skin Sensitization
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric (liquid or solid)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Germ cell mutagenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric gas	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Carcinogenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-heating	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Reproductive toxicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Organic peroxide	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Specific target organ toxicity (single or repeated exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Corrosive to metal	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Aspiration Hazard
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Gas under pressure (compressed gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Simple Asphyxiant
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	In contact with water emits flammable gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Health) Hazard Not Otherwise Classified (HNOC)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Combustible Dust		
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Physical) Hazard Not Otherwise Classified (HNOC)		

CAS #	Hazardous Components (Chemical Name)	Canadian NPRI	Canadian Toxic	Canadian DSL
68476-86-8	Liquified petroleum gas, sweetened	No	Yes - 134.z.20	Yes
67-64-1	Acetone	No	No	Yes
108-88-3	Toluene	Yes: Part 5	No	Yes
14808-60-7	Quartz	No	No	Yes
110-19-0	Iso-Butyl acetate	No	No	Yes
123-86-4	Butyl acetate	Yes: Part 5	No	Yes
78-93-3	Methyl ethyl ketone	Yes: Part 5	No	Yes

CAS # Hazardous Components (Chemical Name)**Other US EPA or State Lists**

68476-86-8 Liquified petroleum gas, sweetened

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ

67-64-1 Acetone



SAFETY DATA SHEET

Hi Build Primer

Revision: 01/25/2019

Supersedes Revision: 02/09/2015

108-88-3	Toluene	EHS: No; NY Part 597: Yes: HS; PA HSL: Yes - E; SC TAP: No; WI Air: Yes CAA HAP,ODC: HAP: VHAP; CWA NPDES: Yes; TSCA: Yes - Inventory, 8A CAIR; CA PROP.65: Yes: RDTox(F); CA TAC, Title 8: TAC: Cat. IIa, Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: CMR - 32, Part 5; NC TAP: Yes: NC TAP; NJ EHS: Yes - 1866; NY Part 597: Yes: HS; PA HSL: Yes - E; SC TAP: Yes; WI Air: Yes
14808-60-7	Quartz	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: No
110-19-0	Iso-Butyl acetate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ EHS: No; NY Part 597: Yes: HS; PA HSL: Yes - E; SC TAP: No; WI Air: Yes
123-86-4	Butyl acetate	CAA HAP,ODC: No; CWA NPDES: Yes; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ EHS: No; NY Part 597: Yes: HS; PA HSL: Yes - E; SC TAP: No; WI Air: Yes
78-93-3	Methyl ethyl ketone	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIa, Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: Yes: NC TAP; NJ EHS: No; NY Part 597: Yes: HS; PA HSL: Yes - E; SC TAP: Yes; WI Air: Yes

16. Other Information

Revision Date: 01/25/2019 **Previous revision:** 02/09/2015

Additional Information About This Product:

Company Policy or Disclaimer: The information contained in this SDS is believed to be accurate and reliable as of the date indicated. Crest Industries, Inc. assumes no legal responsibility and makes no representation, warranty or guarantee, expressed or implied, as to the completeness or accuracy of the information. It is offered solely for your consideration, investigation and verification. The user is ultimately responsible for the safe use of the material in accordance with applicable federal, state, provincial and local laws and regulations.